

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended). An ultraviolet curable, water-based coating composition comprising one or more polyurethane dispersions, one or more silicone resin emulsions and one or more photoinitiators.
2. (currently amended). The coating composition of claim 1, wherein at least one of the one or more photoinitiators comprises an oligomeric hydroxy ketone emulsion photoinitiator.
3. (currently amended). The coating composition of claim 1, further comprising at least one ~~high-UV~~ ultraviolet stabilizer, ~~high-UV~~ ultraviolet absorber or mixtures thereof.
4. (currently amended). The coating composition of claim 1, further comprising one or more of the group consisting of wetting agents, ~~silicon resin emulsions~~, carbon black, nylon and reactive wax.
5. (currently amended). The coating composition of claim 1, wherein the weight of the coating composition comprises in the range of from about 10 wt % to about 80 wt % of the one or more polyurethane dispersions.
6. (currently amended). The coating composition of claim 5, wherein the weight of the coating composition comprises in the range of about 30 to about 70 wt % of the one or more polyurethane dispersions.
7. (currently amended). The coating composition of claim 1, wherein the weight of the coating composition comprises in the range of from about 0.5 wt % to about 10 wt % of the one or more photoinitiators.
8. (currently amended). The coating composition of claim 7, wherein the weight of the coating composition comprises in the range of about 0.5 to about 5 wt % of the one or more photoinitiators.

9. (currently amended). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 2 wt % to about 20 wt % of the silicone resin emulsion.
10. (currently amended). The coating composition of claim 9, wherein the weight of the coating composition comprises in the range of about 5 to about 15wt % of the silicone resin emulsion.
11. (currently amended). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 1 wt % to about 15 wt % of the reactive wax.
12. (currently amended). The coating composition of claim 11 wherein the weight of the coating composition comprises in the range of about 2 to about 10 wt % of the reactive wax.
13. (currently amended). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 2 wt % to about 15 wt % of the nylon.
14. (currently amended). The coating composition of claim 13, wherein the weight of the coating composition comprises in the range of about 2 to about 10 wt % of the nylon.
15. (currently amended). The coating composition of claim 4 wherein the silicone resin emulsion is a high molecular weight silicone resin emulsion.
16. (currently amended). The coating composition of claim 15 wherein the high molecular weight silicone resin emulsion has a molecular weight in the range from about 1000 to about 700,000.
17. (currently amended). The coating composition of claim 15 wherein the high molecular weight silicone resin is polydimethoxysiloxane.
18. (currently amended). The coating composition of claim 1, wherein the one or more polyurethane dispersions have a minimal film formation temperature in the range of about 0°C to about 25°C.

19. (currently amended). The coating composition of claim 1, wherein the one or more polyurethane dispersions have an elongation greater than about 300%.
20. (currently amended). The coating composition of claim 1, wherein the one or more polyurethane dispersions have a Konig Hardness in the range of about 25 seconds to about 100 seconds.
21. (currently amended). An article coated with the coating composition of claim 1 and cured with ultraviolet light to form a coated article.
22. (original). The article of claim 21, wherein the article comprises a weatherstrip, windshield wiper or automotive seal.
23. (original). An appearance coating for an outer belt comprising the coating of claim 1.